

# Water

Andrew Nolan- Manager Water and Environment




# Brief Resource update



1. Scheme inflows for 2016-17 were 3711 GL or 16% wet. Inflows have reduced significantly since November 2016, with the 2017-18 Water Year beginning with only 139 GL over May/June, equating to 94% dry.
2. Storages are at 33.0%, Eucumbene at 31.1% @ 2/07/2017
3. SM starts the water year with 195 GL DISV reduction to RAR, but is expected to be cleared for annual inflows wetter than 95% dry.
4. Energy market conditions have been driving high generation across scheme. This is expected to result in full RAR, plus available flex, plus some discretionary ATW being used on both developments.

# Water Year Observed and Projected Inflow (CLIF)



## Graph notes:

Coloured bands are the historical POEs.

Solid black line is the observed inflow.

Dashed black lines are the Climate-informed Inflow forecast (CLIF) with 10% and 90% POE error bars.

# Snowy Water Licence Review



- DPI Water have initiated first mandatory 10 year review of licence with public call for submissions through to 28 August 2017
- General view that licence is operating as intended. SHL submission will include some minor changes, but expect licence to remain more or less as it is.
- SHL proposed changes are likely to include a tidy up of drafting errors observed post implementation of the licence, proposals to resolve a handful of outstanding issues, some clarifications for the avoidance of doubt and a tidy up of redundant clauses (such as Mowamba Borrow and environmental release infrastructure construction).

# Snowy 2.0



- Link other slides

